
(650) 326-2400






THE RESERVE THE PARTY OF THE PA

Robert C. Colwell, Reg. No. 27,431 (650) 326-2400

Applicant: Masashi Yano, et al. Title: Storage System Atty Docket No. 16869N-045500

2/8



MISSING STREET

FIG. 3

	ITEM NUMBER	MEANING	PARAMETER
301 —	1	PLACE ALL FILES IN SPECIFIC PHYSICAL DEVICE	NAME OF PLACED STORAGE PHYSICAL DEVICE
302~	2	SPECIFY HOW MANY BYTES FROM HEAD OF FILE SHOULD BE PLACED IN SPECIFIC PHYSICAL DEVICE	NAME OF PLACED STORAGE PHYSICAL DEVICE, NUMBER OF THRESHOLD BYTES
303~	3	SPECIFY WHAT PERCENT FROM HEAD OF FILE SHOULD BE PLACED IN SPECIFIC PHYSICAL DEVICE	NAME OF PLACED STORAGE PHYSICAL DEVICE, THRESHOLD PERCENT VALUE
304~	4	SPECIFY HOW MANY BYTES FROM END OF FILE SHOULD BE PLACED IN SPECIFIC PHYSICAL DEVICE	NAME OF PLACED STORAGE PHYSICAL DEVICE, NUMBER OF THRESHOLD BYTES
305~	5	SPECIFY WHAT PERCENT FROM END OF FILE SHOULD BE PLACED IN SPECIFIC PHYSICAL DEVICE	NAME OF PLACED STORAGE PHYSICAL DEVICE, THRESHOLD PERCENT VALUE
306~	6	SPECIFY WHETHER NEWLY-ADDED PORTION SHOULD BE PLACED IN SPECIFIC PHYSICAL DEVICE	NAME OF PLACED STORAGE PHYSICAL DEVICE




FIG. 5

```
<?xml version="1.0"encoding="Shift JIS"?>~501
<!DOCTYPE STORAGE STORED DATA!</p>
  <!ELEMENT multimedia-data (file-head, obj-data*)> ~502
                                                               503
  <!ELEMENT file-head (filename, file-ext, size, title?, creator?, bitrate?, time?)>
  <!ELEMENT filename (#PCDATA)> ~504
  <!ELEMENT file-ext (#PCDATA)> ~ 505
  <!ELEMENT size (#PCDATA)>~ 506
  <!ELEMENT title (#PCDATA)>~507
  <!ELEMENT creator (#PCDATA)>~508
  <!ELEMENT bitrate (#PCDATA)>~509
  <!ELEMENT time (#PCDATA)>~510
                                                               512
  <!ELEMENT obj-data (obj-head, obj-body)*>
  <!ELEMENT obj-head (len, seq, time, dur?, obj-id, command?, bitrate?, encodetype?,
                     mediatype?, content-attribute?)>
  <!ELEMENT len (#PCDATA)> ~513
  <!ELEMENT seq (#PCDATA)>~514
  <!ELEMENT time (#PCDATA)>~515
  <!ELEMENT duration (#PCDATA)>~516
  <!ELEMENT obj-id (#PCDATA)>~517
  <!ELEMENT command (#PCDATA)>~518
  <!ELEMENT bitrate (#PCDATA)>~519
  <!ELEMENT encodetype (#PCDATA)>~520
  <!ELEMENT mediatype (#PCDATA)>~521
  <!ELEMENT content-attribute (#PCDATA)>~522
  <!ELEMENT obj-body EMPTY>
  <!ATTLIST obj-body % media-object-attrs;>~523
  <!ENTITY % media-object-attrs"
              begin-place CDATA #IMPLIED ~524
              end-place CDATA #IMPLIED ~ 525
```

TOWNSON . GUIDON

FIG 6

```
<?xml version="1.0"encoding="Shift_JIS"?>
<!DOCTYPE STORAGE STORED DATA SYSTEM "storagedata.dtd"> ~601
<STORAGE STORED DATA>~602
<multimedia-data>
<file-bead>
  <filename> movie1.mpg</filename> ~603
  <file-ext> mpg</file-ext> ~604
  <size> 2,000,000,000</size> ~605
  <title> actionmovie</title> ~ 606
  <creator> John</creator> ~607
  <br/>bitrate> 2000000</bitrate> ~608
  <time> 7200</time>~609
</file-head>
<obj-data>~610
  \langle obj-head \rangle \sim 611
  <le>> 900</le>> ~612
  \langle seg \rangle 1 \langle seg \rangle \sim 613
  <time> 0</time> ~614
  <dur> 32</dur> ~615
  <obj-id> 0</obj-id> ~616
  <command> create</create>~617
  <br/>bitrate> 1800000</bitrate> ~618
  <encodetype> ISO/IEC 14496-2</encodetype> ~619
  <mediatype> video</mediatype> ~620
  <content-attribute> promotion commercial</content-attribute> ~621
  </obi-head>
  <obi-body begin-place= "1000"end-place= "1064"/> ~622
  </obj-data>
<obj-data>~623
  <obj-head>~624
  <len> 64</len> ~625
  <seq> 1</seq> ~626
  <time> 0</time> ~627
  <dur> 32</dur> ~628
  <obj-id> 1</obj-id> ~629
  <command> create</create> ~630
  <bitrate> 128000</bitrate> ~631
  <encodetype> ISO/IEC 14496-3</encodetype> ~632
  <mediatype> audio</mediatype> ~633
  </obj-head>
  <obj-body begin-place="1016"end-place="1080"/>~634
  </obi-data>
</multimedia-data>
</STORAGE STORED DATA>
```


MODERATO CONTRACTO

FIG. 7


```
<?xml version="1.0"encoding="Shift_JIS"?>
<xsl:stylesheet xmlns:xsl="http://www.w3.org/TR/WD-xsl">~701
<xsl:template match="STORAGE STORED DATA">~~702
 <xsl:for-each select "/">
 <xsl:if test=".[/obj-data/obj-head/bitrate $ge$ 512000]">~703
    <storageselect>
       <phynumber> 1 </phynumber> ~704
       <filename>
        <xsl:value-of select "/file-head/filename/>~705
       </filename>
       <br/>begin-place>
        <xsl:value-of select "/obj-data/obj-body[@begin-place]/> ~706
       </begin-place>
       <end-place>
        <xsl:value-of select "/obj-data/obj-body[@end-place]/>~707
       </end-place>
     <storageselect>
  </xsl:if>
  </xsl:for-each>
</xsl:template>
```


Applicant: Masashi Yano, et al.
Title: Storage System
Atty Docket No. 16869N-045500
Sheet 7 of 8

7/8









. . . .